53183XX_FABRIC SOFTENER

Date of compilation: 15/06/2022 Version: 1 SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier: 53183XX_FABRIC SOFTENER Other means of identification: Non-applicable 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Fabric cleaning product. For professional users/industrial user only. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: ISTOBAL, S.A AVDA. CONDE DEL SERRALLO, Nº10 46250 L'ALCUDIA - VALENCIA - ESPAÑA Phone: +34 96 299 79 40 - Fax: +34 96 299 79 91 istobal@istobal.com https://www.istobal.com 1.4 **Emergency telephone number:** SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture: 2.1

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Non-applicable

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

EUH210: Safety data sheet available on request.

2.3 **Other hazards:**

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Not defined

Components:

None of the substances contained in the mixture are above the limits specified in Annex II of Regulation (EC) No 1907/2006

SECTION 4: FIRST AID MEASURES

4.1 **Description of first aid measures:**

Consult a doctor in case of discomfort showing the SDS for the product.

By inhalation:

In case of symptoms, move the person affected into fresh air.



53183XX_FABRIC SOFTENER

Date of compilation: 15/06/2022 Version: 1

SECTION 4: FIRST AID MEASURES (continued)

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eve contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.

By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media: 5.1

Suitable extinguishing media:

Product is non-flammable, with a low risk of fire due to the flammability characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task.

For emergency responders:

See section 8.

6.2 **Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

Reference to other sections: 6.4

See sections 8 and 13.



53183XX_FABRIC SOFTENER

Date of compilation: 15/06/2022 Version: 1

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:0 °CMaximum Temp.:45 °CMaximum time:12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

ISTOBAL Series

53183XX_FABRIC SOFTENER

total reliability a D Eye and face pr	and has therefore to be or rotection			
Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses again splash/projections.	st CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according the manufacturer's instructions. Use if there risk of splashing.
E Body protection	ו			
Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulat in EN ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. periods of prolonged exposure to the product professional/industrial users CE III is recommended, in accordance with the regulati in EN ISO 20345:2012 y EN 13832-1:2007
F Additional emer	rgency measures			
It is not necess	ary to take additional en	nergency measure	s.	
In accordance with spillage of both the Volatile organic of	e product and its contain	er. For additional i	nformation see subsection	is recommended to avoid environmenta on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon	the community legislative product and its contain compounds: ective 2010/75/EU, this p p: 0 ° at 20 °C: 0 l n number: No	er. For additional in product has the fol % weight <g m<sup="">3 (0 g/L) pn-applicable</g>	nformation see subsection	is recommended to avoid environmental on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect	the community legislative product and its contain compounds: ective 2010/75/EU, this p or 0 of at 20 °C: 0 l n number: No ular weight: No	er. For additional in product has the fol % weight <g m<sup="">3 (0 g/L) on-applicable on-applicable</g>	nformation see subsection	is recommended to avoid environmenta on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect	the community legislative product and its contain compounds: ective 2010/75/EU, this p p: 0 ° at 20 °C: 0 l n number: No	er. For additional in product has the fol % weight <g m<sup="">3 (0 g/L) on-applicable on-applicable</g>	nformation see subsection	is recommended to avoid environmental
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect	the community legislative product and its contain compounds: ective 2010/75/EU, this p or 0 of at 20 °C: 0 l n number: No ular weight: No	er. For additional in product has the fol % weight (g/m ³ (0 g/L) pn-applicable on-applicable OPERTIES	nformation see subsection	is recommended to avoid environmental
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect ION 9: PHYSICAL	the community legislative product and its contain compounds: ective 2010/75/EU, this point at 20 °C: 0 Point and the compound of the number: Not compound the compound of the	er. For additional in product has the fol % weight <g m<sup="">3 (0 g/L) on-applicable on-applicable OPERTIES</g>	nformation see subsection	is recommended to avoid environmental on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect ION 9: PHYSICAL	the community legislative product and its contain compounds: ective 2010/75/EU, this point at 20 °C: 0 Point and the compound of the compound	er. For additional in product has the fol % weight <g m<sup="">3 (0 g/L) on-applicable on-applicable OPERTIES</g>	nformation see subsection	is recommended to avoid environmental on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect INFORMATION OF For complete inform	the community legislative product and its contain compounds: ective 2010/75/EU, this point and 20 °C: 0 Point and 20 °C: 0 Point and the sector of the number: Note the number: Note the number: Note the number of the sector of the number of the sector of the number of	er. For additional in product has the fol % weight <g m<sup="">3 (0 g/L) on-applicable on-applicable OPERTIES</g>	nformation see subsection lowing characteristics:	is recommended to avoid environmental on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect Information on b For complete inform Appearance:	the community legislative product and its contain compounds: ective 2010/75/EU, this point and 20 °C: 0 Point and 20 °C: 0 Point and the sector of the number: Note the number: Note the number: Note the number of the sector of the number of the sector of the number of	er. For additional in product has the fol % weight <g m<sup="">3 (0 g/L) on-applicable on-applicable OPERTIES smical properties latasheet. Liqui</g>	nformation see subsection lowing characteristics:	is recommended to avoid environmenta on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect INFORMATION ON DE For complete inform Appearance: Physical state at 20	the community legislative product and its contain compounds: ective 2010/75/EU, this point and 20 °C: 0 Point and 20 °C: 0 Point and the sector of the number: Note the number: Note the number: Note the number of the sector of the number of the sector of the number of	er. For additional in product has the fol % weight (g/m ³ (0 g/L) pn-applicable on-applicable OPERTIES mical properties latasheet. Liqui	nformation see subsection lowing characteristics:	is recommended to avoid environmenta on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molecu ION 9: PHYSICAL Information on b For complete inforr Appearance: Physical state at 20 Appearance:	the community legislative product and its contain compounds: ective 2010/75/EU, this point and 20 °C: 0 Point and 20 °C: 0 Point and the sector of the number: Note the number: Note the number: Note the number of the sector of the number of the sector of the number of	er. For additional in product has the fol % weight (g/m ³ (0 g/L) pn-applicable on-applicable OPERTIES mical properties latasheet. Liqui	nformation see subsection lowing characteristics: s: s: id available White	is recommended to avoid environmenta on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average moleco Information on b For complete inforr Appearance: Physical state at 20 Appearance: Colour:	the community legislative product and its contain compounds: ective 2010/75/EU, this point and 20 °C: 0 Point and 20 °C: 0 Point and the sector of the number: Note the number: Note the number: Note the number of the sector of the number of the sector of the number of	er. For additional in product has the fol % weight (g/m ³ (0 g/L) on-applicable on-applicable OPERTIES smical properties latasheet. Liqui Not a Scen	nformation see subsection lowing characteristics: s: s: id available White	is recommended to avoid environmenta on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect INFORMATION ON B For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour:	the community legislative product and its contain compounds: ective 2010/75/EU, this point and 20 °C: 0 Point and 20 °C: 0 Point and the sector of the number: Note the number: Note the number: Note the number of the sector of the number of the sector of the number of	er. For additional in product has the fol % weight (g/m ³ (0 g/L) on-applicable on-applicable OPERTIES smical properties latasheet. Liqui Not a Scen	nformation see subsection lowing characteristics: s: s: id available White uted	is recommended to avoid environmenta on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect Information on b For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold:	the community legislative product and its contain compounds: ective 2010/75/EU, this point at 20 °C: 0 Point and the product of a number: Note an another the product of	er. For additional in product has the fol % weight (g/m ³ (0 g/L) on-applicable on-applicable OPERTIES smical properties latasheet. Liqui Not a Scen	nformation see subsection lowing characteristics: s: id available White tted -applicable *	is recommended to avoid environmenta on 7.1.D
In accordance with spillage of both the Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average moleco Information on b For complete inforr Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold: Volatility:	the community legislative product and its contain compounds: ective 2010/75/EU, this point 20 °C: at 20 °C: 0 If a number: Not a	er. For additional in product has the fol % weight (g/m ³ (0 g/L) on-applicable OPERTIES emical properties latasheet. Liqui Not a Scen Non-	nformation see subsection lowing characteristics: s: id available White ted -applicable *	is recommended to avoid environmenta on 7.1.D
In accordance with spillage of both the Volatile organic of With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average molect Information on b For complete inform Appearance: Physical state at 20 Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atm	the community legislative product and its contain compounds: ective 2010/75/EU, this point and the product and its contain compounds: ective 2010/75/EU, this point and the point and the product of the	er. For additional in product has the fol % weight (g/m ³ (0 g/L)) on-applicable on-applicable OPERTIES mical properties latasheet. Liqui Not a Scen Non- ≥100 2350	nformation see subsection lowing characteristics: s: id available White ted -applicable *	is recommended to avoid environmenta on 7.1.D
In accordance with spillage of both the Volatile organic o With regard to Dire V.O.C. (Supply) V.O.C. density a Average carbon Average carbon Average moleco ON 9: PHYSICAL Information on b For complete inforr Appearance: Physical state at 20 Appearance: Colour: Odour threshold: Volatility: Boiling point at atm Vapour pressure at	the community legislative product and its contain compounds: ective 2010/75/EU, this point at 20 °C: 0 Point and the product of a number: Note at 20 °C: 0 Point and the product of a number: Note and the product of a number of the product of the p	er. For additional in product has the fol % weight (g/m ³ (0 g/L)) on-applicable on-applicable OPERTIES mical properties latasheet. Liqui Not a Scen Non- ≥100 2350 1238	nformation see subsection lowing characteristics: s: id available White ated -applicable * 0 °C) Pa	is recommended to avoid environmenta on 7.1.D



.. ..

53183XX_FABRIC SOFTENER

Date of	compilation: 15/06/2022 Version: 1	
SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Density at 20 °C:	1078,7 kg/m³
	Relative density at 20 °C:	0,989
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	4,9 - 5,9 (at 1 %)
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	Non-applicable *
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard clas	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics: Surface tension at 20 °C:	Nen applicable *
		Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	ormation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable



53183XX_FABRIC SOFTENER

Date of compilation: 15/06/2022 Version: 1

SECTION 10: STABILITY AND REACTIVITY (continued)

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ($CO\Box$), carbon monoxide and other organic compounds

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

LD50 oral > 2000 mg/kg (rat)

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met
 - Contact with the eyes: Based on available data, the classification criteria are not met
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met
 - Reproductive toxicity: Based on available data, the classification criteria are not met
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met
 - Skin: Based on available data, the classification criteria are not met
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met
 - Skin: Based on available data, the classification criteria are not met
- H- Aspiration hazard:

Based on available data, the classification criteria are not met

Other information:

Non-applicable

Specific toxicology information on the substances:

Not available



53183XX_FABRIC SOFTENER

Date of compilation: 15/06/2022 Version: 1

SECT	ION 12: ECOLOGICAL INFORMATION
The ex	sperimental information related to the eco-toxicological properties of the product itself is not available
12.1	Toxicity:
	Not available
12.2	Persistence and degradability:
	Not available
12.3	Bioaccumulative potential:
	Not available
12.4	Mobility in soil:
	Not available
12.5	Results of PBT and vPvB assessment:
	Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

- 14.1 UN number:
- Non-applicable 14.2 UN proper shipping name: Non-applicable 14.3 Transport hazard class(es): Non-applicable Labels: Non-applicable 14.4 Packing group: Non-applicable 14.5 Environmental hazards: No 14.6 Special precautions for user Special regulations: Non-applicable Tunnel restriction code: Non-applicable Physico-Chemical properties: see section 9 Limited quantities: Non-applicable 14.7 Transport in bulk according Non-applicable to Annex II of Marpol and the IBC Code:

Transport of dangerous goods by sea:



53183XX_FABRIC SOFTENER

		continued)	
With rega	ard to IMDG 40-20:		
14.1	UN number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Marine pollutant:	No	
14.6	Special precautions for user		
	Special regulations:	Non-applicable	
	EmS Codes:		
	Physico-Chemical properties:	see section 9	
	Limited quantities:	Non-applicable	
	Segregation group:	Non-applicable	
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable	
F ranspo	rt of dangerous goods by air:		
With rega	ard to IATA/ICAO 2022:		
14.1	UN number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Environmental hazards:	No	
14.6	Special precautions for user		
	Physico-Chemical properties:	see section 9	
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable	

SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture:
	Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable
	Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable
	Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable
	Article 95, REGULATION (EU) No 528/2012: Non-applicable
	REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable
	Cleanright (www.cleanright.eu) © A.I.S.E.:
	Keep away from children.



Keep away from eyes. If product gets into eyes rinse thoroughly with water.

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc): Non-applicable

Specific provisions in terms of protecting people or the environment:

ISTOBAL

53183XX_FABRIC SOFTENER

Date of compilation: 15/06/2022 Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Non-applicable

Classification procedure:

Non-applicable

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

- ADR: European agreement concerning the international carriage of dangerous goods by road
- IMDG: International maritime dangerous goods code
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5day biochemical oxygen demand
 - BCF: Bioconcentration factor
- LD50: Lethal Dose 50
- LC50: Lethal Concentration 50
- EC50: Effective concentration 50
- LogPOW: Octanolwater partition coefficient
- Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.